

List of Caves Sampled April and July 2016

Fantastic Caverns -private - *state lead site*

Bridal Cave -private

Cathedral -State

Fisher -State

Onandoga -State

Ozark Caverns -State

All caves <6ug/m3 TCE in April

Fantastic Caverns 61 and 88 ug/m3 TCE in July

Pending work to coordinate

Fantastic Caverns:

Agreement on risk evaluation, next sampling, response actions

Authority for using 6 ug/m3 ? Why OSHA uses different factors ?

Five other caves <6 ug/m3 April and July:

Stop sampling now ? Is four quarters required ?

Continental Cleaners:

Risk evaluation unused rooms/workspaces, future use building,
future sampling vs covenant

40551420



Superfund

8/22/16

0000

52

Fantastic Caverns

- Litton Systems (Northrop-Grumman) MDNR cooperative order
- Calling this site Litton Systems, avoid stigma Superfund site naming
- MDHSS recommends MDNR re-sample in August, then backpacks
- Northrop-Grumman take over lead under MDNR oversight
- April 24-hr sampling; July 8-hr sampling and 14-day passive sampling

EPA risk evaluation and recommendation supporting ?

EPA-lead transition if needed

Five other caves

- Bridal, Cathedral, Fisher, Onandaga, Ozark Caverns
- MDHSS has recommended total four quarter sampling, Oct & Jan
- State Parks closed January, no exposure
- Are four quarters always recommended if $<6 \text{ ug/m}^3$?

EPA support 3 or 4 quarter sampling, NFA ?

Continental Cleaners

- Tracking situations with high subslab
- Tracking situations with future use plans
- Covenants, Notices, Re-Assessment intervals
- Proactive resolution, negotiating solutions, future sampling costs, future risk and tracking

EPA current risk recommendation? Removal ?

Future risk tracking

Work products

- Statement legal authority action levels and OSHA difference
- Fantastic Caverns risk review and recommendation (Aug 29 data?)
- Continental Cleaners risk review and recommendation
- Agreement on other five caves, 3-4 quarter results
- Stance on four quarter sampling as universal minimum approach
- Tracking approach for sites without permanent fixes